### XIII. LITERATURE CITED AND PERSONAL COMMUNICATIONS

Adams, P. B., T. E. Laidig, K. R. Silverberg, M. J. Bowers, B. M. Jarvis, K. M. Sakuma, K. Baltz, and D. Woodbury. 1996. Historical and current presence-absence of coho salmon, (*Oncorhynchus kisutch*), in the northern California portion of the southern Oregon-northern California evolutionary significant unit. National Marine Fisheries Service, Southwest Fisheries Science Center Administrative Report T-96.01. 24 p.

Adams, P. B., T. E. Laidig, K. R. Silverberg, M. J. Bowers, H. Fish. 1999. Historical and current presence-absence of coho salmon, (*Oncorhynchus kisutch*), in the Central California Coast evolutionary significant unit. National Marine Fisheries Service, Southwest Fisheries Science Center Administrative Report SC-99-02 24 p.

Allendorf, F.W. and R.F. Leary. 1988. Conservation and distribution of genetic variation in a polytypic species: the cutthroat trout. Conservation Biology 2:170-184.

Allendorf, F.W. and N. Ryman. 1987. Genetic management of hatchery stocks. *In:* N. Ryman and F. Utter (editors), Population genetics and fishery management, University of Washington Press, Seattle, p. 141-159.

Allendorf, F.W. and F.M. Utter. 1979. Population genetics. *In:* W.J. Hoar, D.J. Randall, and J.R. Brett, eds. Fish physiology, Vol. 8, Academic Press, N.Y.

Allendorf, F.W. and R.S. Waples. 1996. Conservation and genetics of salmonid fishes. *In:* J.C. Avise and J.L. Hamrick (editors). Conservation genetics: case histories from nature, 238-280. Chapman and Hall, New York.

Ambrose, J. and D. Hines. 1997. Ten Mile River watershed 1996 instream monitoring results. Georgia-Pacific West, Inc.

Ambrose, J. and D. Hines. 1998. Ten Mile River watershed 1997 instream monitoring results. Georgia-Pacific West, Inc, The Timber Company.

Ambrose, J., D. Hines, D. Lundby, and J. Drew. 1996. Ten Mile River watershed 1995 instream monitoring results. Georgia-Pacific West, Inc.

Anderson, K. R. 1995. Report to the Fish and Game Commission: A status review of the coho salmon (*Oncorhynchus kisutch*) in California south of San Francisco Bay. Calif. Dept. of Fish and Game. 49 p.

Arcata Redi-Mix. 1993. Arcata Redi-Mix: Mad River Arbitration, Notification 93-0635.

Armour, C. L., D. A. Duff, and W. Elmore. 1991. The effects of livestock grazing on riparian and stream ecosystems. Fisheries 16:7-11.

Arnold, J.R. 1971. A study of the silver salmon (*Oncorhynchus kisutch*) and steelhead rainbow trout (*Salmo gairdneri gairdneri*) in Redwood Creek, Marin County, California. U.S. Department of Interior, National Park Service, Contract 14-10-9-990-33.

Arvola, T.F. 1976. Regulations of logging in California 1945-1975. Department of Conservation, Division of Forestry.

Austin, B. and D. A. Austin. 1987. Bacterial fish pathogens, disease in farmed and wild fish. Ellis Horwood Limited. 364 p.

Bachman, R.A. 1984. Foraging behavior of free-ranging wild and hatchery brown trout in a stream. Trans. Am. Fish. Soc.113:1-32.

Baker, P. and F. Reynolds. 1986. Life history, habitat requirements, and status of coho salmon in California. Report to the Calif. Fish and Game Commission. Sacramento, Calif. 37 p.

Bams, R.A. 1967. Survival and propensity for homing as affected by presence or absence of locally adapted paternal genes in two transplanted populations of pink salmon (*Oncorhynchus gorbuscha*). J. Fish. Res. Board Can. 33:2716-2725.

Banks, M., J. Robertson, K. Bucklin, P. Siri, and D. Hedgecock. 1999. Population genetics criteria for restoration of coho salmon (*Oncorhynchus kisutch*) in northern California. Sonoma County Water Agency Contract #TW 96/97-10.

Banks, M.A., V.K. Rashbrook, M.J. Calavetta, C.A. Dean, and D. Hedgecock. 2000. Analysis of microsatellite DNA resolves genetic structure and diversity of chinook salmon (*Oncorhynchus tshawytscha*) in California's Central Valley. Can. J. Fish. Aquat. Sci. 57:915-927.

Bartholow, J. M. 1995. Review and analysis of Klamath River basin water temperatures as a factor in the decline of anadromous salmonids with recommendations for mitigation. River Systems Management Section, Midcontinent Ecological Science Center, U. S. National Biological Service, Fort Collins, Colorado. Final Draft.

Bartley, D.M., B. Bentley, P.G. Olin, and G.A.E. Gall. 1992. Population structure of coho salmon (*Oncorhynchus kisutch*) in California. Calif. Fish and Game 78(3):88-104.

Beacham, T. D., and C. B. Murray. 1990. Temperature, egg size, and development of embryos and alevins of five species of Pacific salmon: a comparative analysis. Transactions of the American Fisheries Society 119:927-945.

Beamish, R. J. and D. R. Bouillon. 1993. Pacific salmon production trends in relation to climate. Can. J. Fish. Aquat. Sci. 50:1002-1016.

Beamish, R.J., B.L. Thomson, and G.A. McFarlane. 1992. Spiny dogfish predation on chinook and coho salmon and the potential effects on hatchery-produced salmon. Trans. Amer. Fish. Soc. 121:444-455.

Beamish, R.J., C. Mahnken, and C.M. Neville. 1997. Hatchery and wild production of Pacific salmon in relation to large-scale, natural shifts in the productivity of the marine environment. ICES Jour. Mar. Sci., 54:1200-1215.

Beamish, R.J., D.J. Noakes, G.A. McFarlane, L. Klyashtorin, V.V. Ivanov, and V. Kurashov. 1999. The regime concept and natural trends in the production of Pacific salmon. Can. J. Fish. Aquat. Sci. 56: 516-526.

Behnke, R. J., and M. Zarn. 1976. Biology and management of threatened and endangered western trouts. U.S. For. Serv. Gen. Tech. Rep. RM-28. 45 p.

Bell, M. C. 1986. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, Office of the Chief of Engineers, Fish Passage Development and Evaluation Program, Portland, Oregon.

Bell, E. 2001. Low growth rates and possible life-history consequences for juvenile coho salmon. Abstract of presentation given at the American Fisheries Society, California-Nevada and Humboldt Chapters 35<sup>th</sup> Annual Meeting. March 29-31, 2001. Santa Rosa, CA.

Berbach, M.W. 2001(in press). Biological background for regulatory requirements of WLPZs. Proceedings for the 22<sup>nd</sup> Forest Vegetation Management Conference. January 16-17, 2001, Redding, California. pp 83-88.

Berejikian, B.A. 1995a. The effects of hatchery and wild ancestry and environmental factors on the behavioral development of steelhead trout fry (*Oncorhynchus mykiss*). Ph.D. Thesis, Univ. Washington, Seattle, 111 p. (Cited in Flagg et al. 2000.)

Berejikian, B.A. 1995b. The effects of hatchery and wild ancestry and experience on the relative ability of steelhead trout fry (*Oncorhynchus mykiss*) to avoid a benthic predator. Can J. Fish. Aquat. Sci. 52:2076-2082.

Berejikian, B.A., E.P Tezak, S.L. Schroder, C.M. Knudsen, and J.J. Hard. 1997. Reproductive behavioral interactions between wild and captively reared coho salmon (*Oncorhynchus kisutch*). ICES J. Mar. Sci. 54:1040-1050.

Berggren, T.J. and M. Filardo. 1993. An analysis of variables influencing the migration of juvenile salmonids in the Columbia River Basin. N. Amer. J. Fish. Man. 13:48-63

Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. *In:* E.O. Salo and T.W. Cundy, editors. Streamside management: forestry and fishery interactions. Contribution No. 57. Institute of Forest Resources, University of Washington, Seattle, Washington. Pages 191-232.

Bilby, R. E. 1984. Characteristics and frequency of cool-water areas in a western Washington stream. Journal of Freshwater Ecology 2:593-602.

Bisson, P. A., R. A. Bilby, M. D. Bryant, C. A. Dolloff, G. B. Grette, R. A. House, M. L. Murphey, K. V. Koski, and J. R. Sedell. 1987. Large woody debris in forested streams in the Pacific northwest: Past, present and future. Pp. 143-190 *In:* Salo and Cundy, eds. Streamside management: Forestry and fishery interactions. University of Forest Resources Contribution 57, Seattle.

Bisson, P.A., G.H. Reeves, R.E. Bilby, and R.J. Naiman. 1997. Wathershed management and Pacific salmon: Desired future conditions. *In:* D.J. Stouder, P.A. Bisson, and R.J. Naiman (eds.), Pacific salmon and their ecosystems, pp 447-474. Chapman and Hall, New York.

Bjornn T. C. and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. *In:* Meehan, W. R. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19: 83-138.

Booth, D. B. 1991. Urbanization and the natural drainage system - impacts, solutions, and prognoses. Northwest Environ. J. 7:93-118.

Botkin, Daniel, K. Cummins, T. Dunne, H. Reiger, M. Sobel, L. Talbot, and L. Simpson. 1995. Status and future of salmon in Western Oregon and Northern California: findings and options. The Center for the Study of the Environment. Report #8. May, 1995. 300 p.

Bovee, K. D. 1978. Probability-of-use criteria for the family Salmonidae. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. FWS/OBS-78-07.

Bragg, D.C. and J.L. Kershner. 1999. Coarse woody debris in riparian zones: opportunity for interdisciplinary interaction. Journal of Forestry. 97:30-35.

Brett, J.R. 1952. Temperature tolerance in youg Pacific salmon, genus Oncorhynchus. Journal of Fisheries Research Board Canada 9:265-323.

Brett, J. R. and D. MacKinnon. 1954. Some aspects of olfactory perception in migrating adult coho and spring salmon. J. Fish. Res. Board Can. 11: 310-318.

Briggs, J.C. 1953. The behavior and reproduction of salmonid fishes in small coastal stream. California Department of Fish and Game Bulletin 94.

Brosofske, K.D., J. Chen, R.J. Naiman, and J.F. Franklin. 1997. Harvesting effects on microclimate gradients from small streams uplands in western Washington. Ecological Applications 7(4):1188-1200.

Brown, R.F. and B.R. Mate. 1983. Abundance, movements and feeding habits of harbor seals, *Phoca vitulina*, at Netarts and Tillamook bays, Oregon. NOAA Fishery Bull. 81(2): 291-301.

Brown, L.R. and P.B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service. Department of Wildlife and Fisheries Biology, University of California, Davis, Davis, California 95616. 114 p. plus Appendices.

Brown, D. J. A., and K. Sadler. 1989. Fish survival in acid waters. Pages 31-44 *In:* R. Morris, E. W. Taylor, D. J. A. Brown, and J. A. Brown (eds). Acid toxicity and aquatic animals. Cambridge University Press, Cambridge, England.

Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. North American Journal of Fisheries Management. 14(2):237-261.

Brown, G.G., K.N. Kundargi, D.J. Manning, and R. W. Smith. 1998. Coho and steelhead restoration project, annual Section 10 permit data report June 30, 1997-July 1, 1998. National Park Service, Golden Gate National Recreation Area.

Brown, G.G., K.N. Kundargi, D.J. Manning, and R.W. Smith. 1999. Coho and steelhead restoration project, annual Section 10 permit data report June 30, 1998- July 1, 1999. National Park Service, Golden Gate National Recreation Area.

Brownell, N. F., W. M. Kier, and M. L. Reber. 1999. Historical and current presence and absence of coho salmon, *Oncorhynchus kisutch*, in the northern California portion of the southern Oregon-northern California evolutionary significant unit. Prepared for the U. S. Department of Commerce, NOAA National Marine Fisheries Service, Southwest Fisheries Science Center, Pursuant to Service Order 40-ABNF-7-01479. Kier and Associates, Sausalito, California. 49 p.

Bryant, H. C. 1923. Salmon fish cultural operations on the Klamath River. California Fish and Game. Sacramento, California. Volume 9, Number 1.

Bryant, M.D. 1983. The role and management of woody debris in west coast salmonid nursery streams. North American Journal of Fisheries Management, 3:322-330.-IMP

Bryant, G.J. 1994. Status review of coho salmon populations in Scott and Waddell Creeks, Santa Cruz County, California. National Marine Fisheries Service, Southwest Region/Protected Species Management Division, Santa Rosa, California, 102 p.

Busack, C.A., and K.P. Currens. 1995. Genetic risks and hazards in hatchery operations: fundamental concepts and issues. Am. Fish. Soc. Symp. 15:71-80.

Burns, J.W. 1970. Spawning bed sedimentation studies in northern California streams. California Fish and Game 56(4):253-270.

Burns, J.W. 1972. Some effects of logging and associated road construction on northern California streams. Trans. Am. Fish. Soc. 101:1-17.

CACSST (California Advisory Committee on Salmon and Steelhead Trout). 1988. Restoring the balance. Annual Report. 124-J, 84 p. (Available from California Advisory Committee on Salmon and Steelhead Trout, 120 Schoonmaker Point, Sausalito, CA 94965.)

Cafferata, P.H. and T.E. Spittler. 1998. Logging impacts of the 1970s vs. the 1990s in the Caspar Creek Watershed. *In:* R.R. Ziemer, Tech. Cord., Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story; Map 6, 1998, Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. P. 103-115.

California Department of Conservation, 2000. California's abandoned mines: A report on the magnitude and scope of the issue in the state. Department of Conservation, Office of Mine Reclamation.

Campton, D.E. 1995. Genetic effects of hatchery fish on wild populations of Pacific salmon and steelhead: What do we really know? Am. Fish. Soc. Symp. 15:337-353.

Cavalli-Sforza, L.L., and A.W.F. Edwards. 1967. Phylogenetic analysis: models and estimation procedures. Evolution 21:550-570.

Cayan, D., T. Barnet., L. Riddle. September 24,1997. The 1997-98 El Niño - Increased potential for winter storms, flooding and coastal impacts in California. Electronic document: http://meteora.ucsd.edu/elnino/ENSO.html. Climate Research Division, Scripps Institution of Oceanography and Water Resources Division, US Geological.

CDF (California Department of Forestry and Fire Protection). 1997a. Memorandum: Guidance on recognition of nonfish aquatic habitat. March 7, 1997. 1 page; 6-page attachment.

CDF (California Department of Forestry and Fire Protection). 1997b. Letter: Coho salmon considerations for timber harvesting under the California Forest Practice Rules. April 29, 1997. 2 pages; 49-page attachment.

CDF (California Department of Forestry and Fire Protection). 1998. Memorandum: 1997 water temperature studies on Jackson Demonstration State Forest. November 30, 1998.

CDF (California Department of Forestry and Fire Protection). 2000. Memorandum: Class II/Class III watercourse designation. September 1, 2000. 2 p.

CDFG (California Department of Fish and Game). 1952. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1956. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1957. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1959. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1961. Unpublished stream surveys. CDFG, Yountville, California

CDFG (California Department of Fish and Game). 1964. Stream clearance project completion report, Noyo River, Mendocino County. Administrative Report.

CDFG (California Department of Fish and Game). 1965. Calif. Fish and Wildlife Plan. Vol. III. Part B pg. 428 and 429.

CDFG (California Department of Fish and Game). 1966. Unpublished stream surveys. CDFG, Yountville, California

CDFG (California Department of Fish and Game). 1967. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1968. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1969. Unpublished stream surveys. CDFG, Yountville, California

CDFG (California Department of Fish and Game). 1970. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1973. Memos on status of coastal steelhead project. Yountville, California.

CDFG (California Department of Fish and Game). 1974. Memos on status of coastal steelhead project. Yountville, California.

CDFG (California Department of Fish and Game). 1975. Memos on status of coastal steelhead project. Yountville, California.

CDFG (California Department of Fish and Game). 1976. Memos on status of coastal steelhead project. Yountville, California.

CDFG (California Department of Fish and Game). 1977. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1984. Unpublished stream surveys. CDFG, Yountville, California.

CDFG (California Department of Fish and Game). 1986. Memo summarizing electrofishing efforts between 1970 and 1986.

CDFG (California Department of Fish and Game). 1991. Lower Yuba River fisheries management plan. Stream Evaluation Report No. 91-1. 197 pp.

CDFG (California Department of Fish and Game). 1994a. Petition to the Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. 110 p.

CDFG (California Department of Fish and Game). 1994b. Coho salmon habitat impacts, qualitative assessment technique for registered professional foresters. 32 p.

CDFG (California Department of Fish and Game). 1997a. A Biological Needs Assessment for Anadromous Fish in the Shasta River Siskiyou County, California. Northern California-North Coast Region. Redding, CA. 29p.

CDFG (California Department of Fish and Game). 1997b. Draft Eel River Salmon and Steelhead Restoration Action Plan, Inland Fisheries Division.

CDFG (California Department of Fish and Game). 1998. Report to the Fish and Game Commission: a status review of the spring-run Chinook salmon (*Oncorhynchus tshawyscha*) in the Sacramento River drainage. California Department of Fish and Game Candidate Species Status Report 98-01.

CDFG (California Department of Fish and Game). 2000. Natural vs hatchery proportions of juvenile salmonids migrating through the Klamath River estuary and monitor natural and hatchery juvenile salmonid emigration from the Klamath River basin. Annual Performance Report. Federal Aid in Sport Fish Restoration Act. Project Number F-51- R-6. Project No. 17. Job No. 1&2.

CDFG (California Department of Fish and Game). 2001a. Annual Report, Noyo River egg collecting station, 2000-2001, Lands and Facilities Branch, Administrative Report.

CDFG (California Department of Fish and Game). 2001b. Final environmental document. Analyzing the California Fish and Game Commission's special order relating to incidental take of coho salmon north of San Francisco during the candidacy period. Sacramento, CA.

CDFG (California Department of Fish and Game). 2001c. Draft Russian River Basin Plan, Central Coast Region, DFG. 145pp plus Appendices in prep.

CDFG (California Department of Fish and Game). 2001d. Natural vs hatchery proportions of juvenile salmonids migrating through the Klamath River estuary and monitor natural and hatchery juvenile salmonid emigration from the Klamath River basin. Annual Performance Report. Federal Aid in Sport Fish Restoration Act. Project Number F-51- R-6. Project No. 17. Job No. 1&2.

CDFG/NMFS (California Department of Fish and Game and National Marine Fisheries Service). 2001. California Department of Fish and Game/ National Marine Fisheries Service, Southwest Region Joint Hatchery Review Committee, Final Report on Anadromous Salmonid Fish Hatcheries in California. December 3, 2001.

CDWR (California Department of Water Resources). 1964. Klamath Basin Investigation. Bull. No. 83.

CDWR (California Department of Water Resources). 1965. North Coastal Area Investigation, Appendix C Fish and Wildlife. Prepared by California Department of Fish and Game Water Projects Branch, Bulletin No.136.

Cederholm, C.J. and L.M. Reid. 1987. Impact of forest management on coho salmon (*Oncorhychus kisutch*) populations of the Clearwater River, Washington: a project summary. Pages 373-398. *In:* E.O. Salo and T.W. Cundy (eds). Streamside management: forestry and fishery interactions. Institute of Forest Resources, Contributions No. 57, University of Washington, Seattle.

Cederholm, C.J. and W.J. Scarlett. 1981. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981, p. 98-110. *In:* E.L. Brannon and E.O. Salo, editors. Proceedings of the Salmon and Trout Migratory Behavior Symposium. School of Fisheries, University of Washington, Seattle, WA.

Cederholm, C.J., L. M. Reid, and E. O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Pullman, WA: Washington State University, State of Washington Water Research Center. :38-74, 1981.

Cederholm, C.J., R.E. Bilby, P.A. Bisson, T.W. Bumstead, B.R. Fransen, W.J. Scarlett, and J.W. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. North American Journal of Fisheries Management, 17:947-963.

CFGC (California Fish and Game Commission). 2002. Fish and Game Code 2002, Unabridged California Edition. LawTech Publishing Company, Ltd., 490 p.

CH2M HILL. 1985. Klamath River Basin Fisheries Resource Plan. Prepared for the Bureau of Indian Affairs. Department of Interior.

Chamberlin, T.W., R.D. Harr, and F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. American Fisheries Society Special Publication 19: 181-206.

Chapman, D., A. Giorgi, T. Hillman, D. Deppert, M. Erho, S. Hays, C. Peven, B. Suzumoto, and R. Klinge. 1994. Status of summer/fall chinook salmon in the mid-Columbia region. Report for Chelan, Douglas, and Grant County PUD's. 412 p. plus Appendices. (Available Don Chapman Consultants, 3653 Rickenbacker, Ste. 200, Boise, ID 83705.)

Chilcote, M.W., S.A. Leider, and J.J. Loch. 1986. Differential reproductive success of hatchery and wild-run steelhead under natural conditions. Trans. Am. Fish. Soc. 115:726-735.

Churchill, R. 1999. Insights into California mercury production and mercury availability for the gold mining industry from the historical record: Geological Society of America Abstracts with Programs, 31, 6: 45.

Coey, R. 2000. Internal CDFG memorandum to John Emig, Response to petition to list coho salmon as endangered north of San Francisco Bay, October 12, 2000.

Cole, J. 2000. Coastal sea surface temperature and coho salmon production off the north-west United States. Fish. Oceanogr., 9:1-16.

Collins, B. and T. Dunne. 1990. Fluvial geomorphology and river-gravel mining: a guide for planners, case studies included. Department of Conservation, Division of Mines and Geology, Special Publication 98.

Columbia Basin Fish and Wildlife Authority. 1991. The biological and technical justification for the flow proposal of the Columbia Basin Fish and Wildlife Authority. Columbia Basin Fish and Wildlife Authority, Portland, Or. 72 p.

Cooper, A. C. 1959. Discussion of the effects of silt on survival of salmon eggs and larvae. Pages 18-22 *in* Proceedings of the fifth symposium - Pacific Northwest on siltation - its source and effects on aquatic environment. U.S. Department of Health, Education and Welfare, Portland, Oregon.

Cooper, R. and T. H. Johnson. 1992. Trends in steelhead (*Oncorhynchus mykiss*) abundance in Washington and along the Pacific coast of North America. Washington Department of Wildlife, Fisheries Management Division, Report number 92-20. 90 p.

Cooper, A.B., and M. Mangel. 1999. The dangers of ignoring metapopulation structure for the conservation of salmonids. Fish. Bull. 97:213-226.

Coots, M. 1957. The spawning efficiency of king salmon (*Oncorhynchus tshawytscha*) in Fall Creek, Siskiyou County. 1954-55 Investigations. California Department of Fish and Game, Inland Fisheries Division, Administrative Report Number 57-1. Sacramento, CA.

Cordone, A. J. and D. W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. California Fish and Game 47(2): 189-228.

Corner, R.A., J.H. Bassman, and B.C. Moore. 1996. Monitoring timber harvest impacts on stream sedimentation: instream vs. upslope methods. Western Journal of Applied Forestry, 11(1):25-33.

Cramer, S.P., S.W. Alley, J.E. Baldrige, K. Barnard, D.B. Demko, D.H. Dettman, B. Farrell, J. Hagar, T.P. Keegan, A. Laird, W.T. Mitchell, R.C. Nuzum, R. Orton, J.J. Smith, T.L. Taylor, P.A. Unger, and E.S. Van Dyke. 1995. The status of steelhead populations in California in regards to the Endangered Species Act. S.P. Cramer and Associates, Inc. Gresham, OR.

Crone, R. A. and C.E. Bond. 1976. Life history of coho salmon, *Oncorhynchus kisutch*, in Sashin Creek southeast Alaska. Fish. Bull., U.S., 74(4):897-923.

CTM (Campbell Timber Management). 2001. Unpublished electrofishing records. Fort Bragg, California, 95437.

Currens, K.P., and C.A. Busack. 1995. A framework for assessing genetic vulnerability. Fisheries 20(1):24-31.

Davidson, F. A. and S. J. Hutchinson. 1938. The geographic and environmental limitations of the Pacific salmon (Genus *Oncorhynchus*). Bull. Bur. Fish. 48: 667-692.

Davis, G. E., J. Foster, C. E. Warren, and P. Doudoroff. 1963. The influence of oxygen concentration on the swimming performance of juvenile Pacific salmon at various temperatures. Transactions of the American Fisheries Society 92:111-124.

Dayton, P K. 1998. Reversal of the burden of proof in fisheries management. Science 279:821-822.

Dettinger, M. 2001. Droughts, epic droughts & droughty centuries—Lessons from California's paleoclimatic record. A PACLIM 2001 meeting report, submitted to the Interagency Ecological Program for the San Francisco Bay's Newsletter, Summer 2001.

Dickson, T.A., and H.R. McCrimmon. 1982. Influence of hatchery experience on growth and behavior of juvenile Atlantic salmon (*Salmo salar*) within allopatric and sympatric stream populations. Can J. Fish. Aquat. Sci. 39:1453-1458.

Dickson, K. L., A. W. Maki, and W. A. Brungs, editors. 1987. Fate and effects of sediment-bound chemicals in aquatic systems. 6th Pellston Workshop, August 1984, Society of Environmental Toxicology & Chemistry (SETAC), Florissant, Colorado. Pergamon Press, New York.

Dobzhansky, T. 1955. A review of some fundamental concepts and problems of population genetics. Cold Spring Harbor Symp. Quant. Biol. 20: 1-15.

Domanico, M.J., and R.B. Phillips. 1995. Phylogenetic analysis of Pacific salmon (Genus *Oncorhynchus*) using mitochondrial DNA sequence data. Mol. Phylogenet. Evol. 4: 366-371.

Domanico, M.J., R.B. Phillips, and T.H. Oakley. 1997. Phylogenetic analysis of Pacific salmon (Genus *Oncorhynchus*) using nuclear and mitochondrial DNA sequences. Can. J. Fish. Aquat. Sci. 54: 1865-1872.

Donnelly, W.A., and F.G. Whoriskey, Jr. 1991. Background-color acclimation of brook trout for crypsis reduces risk of predation by hooded mergansers (*Lophodytes cucullatus*). N. Am. J. Fish. Manage. 11:206-211.

Donnelly, W.A., and F.G. Whoriskey, Jr. 1993. Transplantation of Atlantic salmon (*Salmo salar*) and crypsis breakdown. *In:* R.J. Gibson and R.E. Cutting (eds), Production of juvenile Atlantic salmon, *Salmo salar*, in natural waters. Can. J. Fish. Aquat. Sci. Special Publications 118:25-34.

Dorn, R. 1969. Evaluation of air and water temperature on Caspar Creek from 1965 to 1968. Cooperative Fisheries Unit, Humboldt State College, Arcata, California.

Dorn, M. W. 1989. A conditional logistic regression model for the onset of riverine salmon migrations. M.S. thesis. University of Washington, Seattle.

Dowdy, S., and S. Wearden. 1985. Statistics for research. John Wilely & Sons. 629 p.

Ebel, W. J., and H. L. Raymond. 1976. Effect of atmospheric gas supersaturation on salmon and steelhead trout of the Snake and Columbia rivers. Marine Fisheries Review 38:1-14.

Ellis, D.V. 1962. Preliminary studies on the visible migrations of adult salmon. J. Fish. Res. Board Can. 19: 137-148

Ellis, R. H. 1997. Comments to NMFS regarding the proposed listing of coho salmon as threatened in the southern Oregon/northern California ESU. Submitted on behalf of California Forestry Association and California Forest Resources Council, Sacramento, California. 41 p.

Emig, J., 1984. Fish population survey, Walker Creek, Marin County, 1981. California Department of Fish and Game, Anadromous Fisheries Branch, Adm. Report Number 84-02.

Emig, J. 1986. Unpublished memo. California Department of Fish and Game, Yountville, California.

Emlen, J. 1991. Heterosis and outbreeding depression: a multilocus model and an application to salmon production. Fish. Res. 12:187-212.

Emlen, J., R.R. Reisenbichler, A.M. McGie, and T.E. Nichelson. 1990. Density dependence at sea for coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 47:1765-1772.

Emmett, R. L., and M. H. Schiewe (eds). 1997. Estuarine and ocean survival of Northeastern Pacific salmon: Proceedings of the workshop. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NEFSC-29, 313 p.

Essig, D.A. 1998. The dilemma of applying uniform temperature criteria in a diverse environment: an issue analysis. Water Quality Assessment and Standards Bureau, Idaho Division of Environmental Quality.

Everest, F. H., N. B. Armantrout, S. M. Keller, W. D. Parante, J. R. Sedell, T. E. Nickelson, J. M. Johnston, and G. N. Haugen. 1985. Salmonids. Pages 199-230 *in* E. R. Brown, editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. Publication R6-F&WL-192-1985. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Portland, Oregon.

Everest, F. H., R. L. Beschta, J.C. Scrivener, K.V. Koski, J.R. Sedell, and C. J. Cederholm. 1987. Fine sediment and salmonid production: a paradox. Pages 98-142 in E. O. Salo and T.W. Cundy, editors, Streamside management: forestry and fishery interactions. Contribution No. 57. Institute of Forest Resources, University of Washington, Seattle

Federal Register. 1996. Final Rule. Endangered and threatened species: Threatened status for Central California Coast coho salmon evolutionarily significant unit (ESU), October 31, 1996. 61(212): 56138-56149.

Federal Register. 1997. Final Rule. Endangered and threatened species: Threatened status for Southern Oregon/Northern California Coast evolutionarily significant unit (ESU) of coho salmon, May 5, 1997. 62(87): 24588-24609.

FEMAT (Forest Ecosystem Management Assessment Team). 1993. Forest ecosystem management: an ecological, economic, and social assessment (report). U.S Forest Service, National Marine Fisheries Service, Bureau of Land Management, U.S. Fish and Wildlife Service, National Park Service, and Environmental Protection Agency.

Flagg, T.A., and C.E. Nash (editors). 1999. A conceptual framework for conservation hatchery strategies for Pacific salmonids. Dep. Commer., NOAA Technical Memo. NMFS-NWFSC-38.

Flagg, T.A., F.W. Waknitz, D.J. Maynard, G.B Milner, and C.V.W. Mahnken. 1995. Impact of hatcheries on native coho salmon populations in the lower Columbia River. Am. Fish. Soc. Symp. 15:366-375.

Flagg, T.A., B.A. Berejikian, J.E. Colt, W.W. Dickhoff, L.W. Harrell, D.J. Maynard, C.E. Nash, M.S. Strom, R.N. Iwamoto, and C.V. Mahnken. 2000. Ecological and behavioral impacts of artificial production strategies on the abundance of wild salmon populations. Dep. Commer., NOAA Technical Memo. NMFS-NWFSC-XX.

Fleming, I.A. and M.R. Gross. 1989. Evolution of adult female life history and morphology in a Pacific salmon (coho: *Oncorhynchus kisutch*). Evolution 43:141-157.

Fleming, I.A. and M.R. Gross. 1992. Reproductive behavior of hatchery and wild coho salmon (*Oncorhynchus kisutch*): does it differ? Aquaculture 103:101-121.

Fleming, I.A., and M.R. Gross. 1993. Breeding success of hatchery and wild coho salmon (*Oncorhynchus kisutch*) in competition. Ecological Applications 3:230-245.

Flosi, G., S. Downie, J. Hopelain, M. Bird, R. Coey, and B. Collins. 1998. California Salmonid Stream Habitat Restoration Manual. 3<sup>rd</sup> edition. California Department of Fish and Game.

Follman, E.H. 1980. Interdisciplinary overview of gravel removal. *In:* Woodward-Clyde Consultants, ed. Gravel removal studies in arctic and subarctic floodplain in Alaska - technical report; pp. 331-384. U.S. Fish Wildl. Serv., Biological Services Program, FWS/OBS-80/08. 403 pp.

Ford, M.J., P.J. Thornton, and L.K. Park. 1999. Natural selection promotes divergence of transferrin among salmonid species. Mol. Ecol. 8:1055-1061.

Francis, R.C., and S.R. Hare. 1994. Decadal-scale regime shifts in the large marine exosystems of the North\_east Pacific: a case for historical science. Fish. Oceanogr., 3:279-291.

Frankham, R., K. Lees, M. E. Montgomery, P.R. England, E.H. Lowe, and D. A. Briscoe. 1999. Do population size bottlenecks reduce evolutionary potential? Animal Conservation 2:255-260.

Franklin, J.R. 1980. Evolutionary changes in small populations. Pp. 135-149, *In:* M. Soule (ed.) Conservation Biology: and evolutionary-ecological perspective. Sinauer Associates, Sunderland, MA.

Fraser, F.J. 1969. Population density effects on survival and growth of juvenile coho salmon and steelhead trout in experimental stream channels. *In:* T.G. Northcote (editor), Symposium on salmon and trout in streams, p. 253-268. H.R. MacMillan Lectures in Fisheries, Univ. British Columbia, Vancouver. (Cited in Flagg et al. 2000.)

Fraser, J.M. 1981. Comparative survival and growth of planted wild, hybrid, and domestic strains of brook trout (*Salvelinus fontinalis*) in Ontario lakes. Can. J. Fish. Aquat. Sci. 38:1672-1684.

Fraser, J.M. 1989. Establishment of reproducing populations of brook trout after stocking of inter-strain hybrids in Precambrian lakes. N. Am. J. Fish. Manage. 9:352-363.

Frissell, C.A. 1992. Cumulative effects of land use on salmonid habitat on southwest Oregon streams. Ph.D. Thesis, Oregon State University, Corvalis, OR.

Fry, D. 1973. Anadromous fishes of California. State of California, The Resources Agency, Department of Fish and Game. 112 pp.

Furniss, M.J., T.D. Roelofs, and C.S. Yee. 1991. Road construction and maintenance. American Fisheries Society Special Publication 19:297-324.

Gargett, A.E. 1997. The optimal stability "window": a mechanism underlying decadal fluctuations in North Pacific salmon stocks? Fish. Oceanogr., 6:109-117.

Goley, D. and A. Gemmer. 2000. Pinniped / salmonid interactions on the Smith, Mad and Eel rivers in Northern California between 31 August and 15 December 1999. Unpublished Report from Humboldt State Univ. Marine Mammal Education and Research Program, Arcata, California. 22 pp.

Gore, J.A., F.L. Bryant, and D.J. Crawford. 1995. River and stream restoration. *In:* Cairns, J., Jr. (ed.) Rehabilitating damaged ecosystems, 2nd edition; pp. 245-275. Lewis Publishers, Boca Raton, FL. 425 pp

GP (Georgia-Pacific West Inc.). 1997. Ten Mile River watershed 1996 instream monitoring results. Georgia-Pacific West, Inc. 90 West Redwood Avenue, Fort Bragg, California 95437. 164 p.

Grant, S. (editor). 1997. Genetic effects of straying of non-native hatchery fish into natural populations. U.S. Dept. of Commer., NOAA Tech. Memo, NMFS-NWFSC-30, Seattle, WA.

Grant, J.W.A., and D.L. Kramer. 1990. Territory size as a predictor of the upper limit to population density of juvenile salmonids in streams. Can J. Fish. Aquat. Sci. 47:1724-1737.

Graves, D.S. and J.W. Burns. 1970. Comparison of the yields of downstream migrant salmonids before and after logging road construction on the South Fork Caspar Creek, Mendocino County. California Department of Fish and Game, Inland Fisheries Administrative Report No. 70-3.

Graybill, M.R. 1981. Haul out patterns and diet of harbor seals, *Phoca vitulina*, in Coos County, Oregon. Master's Thesis. Univ. of Oregon. 55 pp.

Greene, C.W. 1952. Results from stocking brook trout of wild and hatchery strains at Stillwater Pond. Trans. Am. Fish. Soc. 81:43-52.

GRI (Gualala Redwoods Inc.). 2001. Unpublished fisheries surveys.

Gribanov, V.I. 1948. The coho salmon (*Oncorhynchus kisutch* Walb.)--a biological sketch. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 28:43-101. Translated from Russian. Fisheries Research Board of Canada Translation Service 370.

Grier N., E. Clough and A. Clewell, 1994. Toxic Water: A report on the Adverse Effects of Pesticides on Pacific Coho Salmon and the Prevalence of Pesticides in Coho Habitat, Eugene, Oregon: Northwest Coalition for alternatives to Pesticides.

Griffith, J. S., and D. A. Andrews. 1981. Effects of a small suction dredge on fishes and aquatic invertebrates in Idaho streams. N. Am. J. Fish. Manage. 1:21-28. 38:1,444-1,448.

Groot, C. 1982. Modifications on a theme--a perspective on migratory behavior of Pacific salmon. Pages 1-21 *in* E. L. Brannon and E. O. Salo, editors. Proceedings, salmon and trout migratory behavior symposium. University of Washington, College of Fisheries, Seattle.

Hall, J.D. and R.L. Lantz. 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. *In:* T.G. Northcote, editor. Symposium on Salmon and Trout in Streams. Vancouver, University of British Columbia. Pages 355-375.

Hall, J. D., G. W. Brown, and R. L. Lantz. 1987. The Alsea watershed study: a retrospective. *In:* E.O. Salo and T. W. Cundy, Editors. Streamside management: forestry and fishery interactions. Institute of Forest Resources, Contributions No. 57, University of Washington, Seattle. Pages 399-416.

Halligan, D. 1997. Final report on the results of the 1996 fisheries monitoring program on the Trinity and lower Mad, Eel, and Van Duzen Rivers. Natural Resources Management Corporation, Eureka, California.

Hallock, R.J. and D. H. Fry. 1967. Five species of salmon, *Oncorhynchus*, in the Sacramento River, California. California Fish and Game, 53(1): 5-22.

Hanson, L.C. 1993. The foraging ecology of harbor seals, *Phoca vitulina*, and California sea lions, *Zalophus californianus*, at the mouth of the Russian River, California. M.S. Thesis, Sonoma State University, California. 70 p.

Hardy, T.B. and R.C. Addley. 2001. Evaluation of Interim Instream Flow Needs in the Klamath River, Phase II Final Report. Prepared for the U.S. Department of Interior. Washington D.C.304p.

Hare, S.R., and R.C. Francis. 1995. Climate change and salmon production in the northeast Pacific Ocean, p. 357-372. *In:* R.J. Beamish, ed., Climate change and northern fish populations, Can. Spec. Publ. Fish. Aquat. Sci. 121.

Harris, S. 2000a. Inland and anadromous sport fish management and research. Annual performance report, Federal Aid in Sport Fish Restoration Act. Project 22, North Central District Salmon and Steelhead Management. Job number 2, downstream (out) migration of juvenile salmon and steelhead. July 1, 1999 through June 30, 2000.

Harris, S. 2000b. Inland and anadromous sport fish management and research. Annual performance report, Federal Aid in Sport Fish Restoration Act. Project 22, North Central District Salmon and Steelhead Management. Job number 3, salmon spawning stock inventory. July 1, 1999 through June 30, 2000.

Hart, J. L. 1973. Pacific fishes of Canada. Bulletin 180, Fisheries Research Board of Canada. Pp. 115-118.

Hart, C. J. 1987. Predation by harbor seals, *Phoca vitulina*, on tagged adult chinook, coho salmon and steelhead trout in the Lower Klamath River, California. Calif. Dep. Fish Game, Inland Fish., Admin. Rep. 87-18, 20 pp.

Harvey, B. C. 1986. Effects of suction gold dredging on fish and invertebrates in two California streams. N. Am. J. Fish. Manage. 6:401-409.

Hassler, T.J., C.M. Sullivan, and G.R. Stern. 1991. Distribution of coho salmon in California. Annual Report to California Department of Fish and Game, Contract No. FG7292.

Hedrick, P.W., D. Hedgecock, and S. Hamelberg. 1995. Effective population size in winter-run chinook salmon. Conservation Biology 9(3):615-624.

Hedrick, P.W., D. Hedgecock, S. Hamelberg, and S.J. Croci. 2000. The impact of supplementation in winter-run Chinook on effective population size. Jour. Hered. 91(2):112-116.

Hicks, B.J., J.D. Hall, P.A. Bisson, and J.R. Sedall. 1991. Response of salmonids to habitat changes. *In:* W.R. Meehan (ed.). Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society Special Publication 19: 483-518.

Higgins, P., S. Dobush, and D. Fuller. 1992. Factors in northern California threatening stocks with extinction. Humboldt Chapter American Fisheries Society. 26 p.

Hindar, K., N. Ryman, and F. Utter. 1991. Genetic effects of cultured fish on natural fish populations. Can. J. Fish. Aquat. Sci. 48:945-957.

Hines, D. and J. Ambrose. ND. Evaluation of stream temperatures based on observations of juvenile coho salmon in northern California streams. Unpublished cooperative report between Campbell Timberland Management, Inc. and the NMFS. 30 pages.

Hiser, C.A. 1991. Annual report, Iron Gate salmon and steelhead hatchery, 1989-90. California Department of Fish and Game, Anadromous Fisheries Branch, Administrative Report 91-7.

Hjort, R.C., and C.B. Schreck. 1982. Phenotypic differences among stocks of hatchery and wild coho salmon, *Oncorhynchus kisutch*, in Oregon Washington, and California. Fish. Bull., U.S. 80:105-119.

Hobday, A.J., and G.W. Boehlert. 2001. The role of coastal ocean variation in spatioal and temporal patterns in survival and size of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci., 58:2021-2036.

Holtby, L.B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 45:502-515.

Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 47:2181-2194.

Hopkirk, J. D. 1973. Endemism in fishes of the Clear Lake region of Central California. University of California Press, Berkeley and Los Angeles, California. 140 p.

Howell, P., K. Jones, D. Scarnecchia, L. Lavoy, W. Kendra, and D. Ortman. 1985. Stock assessment of Columbia River anadromous salmonids. Vol. I: Chinook, coho, chum, and sockeye salmon stock summaries. Final Report, Project Nop. 83-335, Bonneville Power Administration, Portland, OR, 558 p.

Hull, D., J. Ellinwood, C. Toole, and T. Flannigan. 1989. Humboldt Fish Action Council Final Report covering actions at: Freshwater Creek salmon trapping and spawning station, Cochran Creek salmon rearing ponds, and seawater salmon rearing facility. Report submitted to California Department of Fish and Game, Project No. C-1538, 26 p.

Humboldt County Public Works. 1992. Final program EIR on gravel removal from the lower Eel River. Natural Resources Division.

Inglis, V., R. J. Roberts, and N. R. Bromage. 1993. Bacterial diseases of fish. Halsted Press. 312 p.

Jager, D., 1994. Program environmental impact report on gravel removal from the lower Eel and Van Duzen rivers. Prepared for the County of Humboldt, Eureka, California.

Jameson, R.J. and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. J. Mammal. 58(4):672.

Järvi, T. 1990. Cummulative acute physiological stress in Atlantic salmon smolts: effect of osmotic imbalance and the presence of predators. Aquaculture 89:337-350.

Johnson, S.L. 1988. The effects of the 1983 El Niño on Oregon's coho, *Oncorhynchus kisutch*, and chinook, *O. tshawytscha*, salmon. Fish. Res. 1988. 6(2): 105-123.

Johnsson, J.I. and M.V. Abrahams. 1991. Domestication increases foraging under threat of predation in juvenile steelhead trout (*Oncorhynchus mykiss*) an experimental study. Can J. Fish. Aquat. Sci. 48:243-247.

Johnson, B.O. and O. Ugedal. 1986. Feeding by hatchery-reared and wild brown trout, *Salmo trutta* L., in a Norwegian stream. Aquacult. Fish. Manage. 20:97-104.

Jonsson, B., N. Jonsson, and L.P. Hansen. 1991. Differences in life history and migratory behavior between wild and hatchery-reared Atlantic salmon in nature. Aquaculture 98:69-78.

Jordan, D.S., and B.W. Everman. 1896-1900. The fishes of North and Middle America. Bull. U.S. Nat. Mus. 47(1-4): 3313 p. + 392 plates.

Keppeler, E.T. 1998. The summer flow and water yield response to timber harvest. *In:* R.R. Ziemer, Tech. Cord., Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story; Map 6, 1998, Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. Pages 35-43.

Keppeler, E. T. and R. R. Ziemer. 1990. Logging effects on stream-flow: water yield and summer low flows in Caspar Creek in northwestern California. Water Resources Research. 26:1669-1679.

Kier Associates. 1999. Historical and current presence and absence of coho salmon, *Oncorhynchus kisutch*, in the northern California portion of the Southern Oregon-Northern California Evolutionary Significant Unit. Prepared for the U.S. Department of Commerce, NOAA National Marine Fisheries Service, Southwest Fisheries Science Center, Service Order 40-ABNF-7-01479.

Knutson, K. L. and V. L. Naef. 1997. Management recommendations for Washington's priority habitats. Wash. Dept. Fish and Wildl., Olympia. 181 pp.

Kondolf, G.M. 1993. The reclamation concept in regulation of gravel mining in California. J. Environ. Plann. Manage. 36: 395-406.

Kondolf, G.M. 1994a. Geomorphic and environmental effects of instream gravel mining. Landscape Urban Plann. 28: 225-243.

Kondolf, G.M. 1994b. Environmental planning in regulation and management of instream gravel mining in California. Landscape Urban Plann. 29: 185-199.

Kondolf, G. M. 1995. Managing bedload sediment in regulated rivers: examples from California, USA. Geomorphology Geophysical Monograph 89.

Kondolf, G.M., P. Vorster, and J.G. Williams. 1990. Hydrologic and channel staility considerations in stream habitat restoration. in Environmental Restoration, J. Berger, (ed.) Island Press, Washington DC. Pp. 214-227

Kopperdahl, F. R., J. W. Burns, and G. E. Smith. 1971. Water quality of some logged and unlogged California streams. California Department of Fish and Game. Inland Fisheries Administrative Report 71-12.

Koski, K.V. 1992. Restoring stream habitats affected by logging activities. *In:* Thayer, G.W., ed. Restoring the nation's marine environment; pp. 343-404. Maryland Sea Grant College, College Park, MD. 716 p.

Koslow, J.A., A.J. Hobday, and G.W. Boehlert. 2002. Climate variability and marine survival of coho salmon (*Oncorhynchus kisutch*) in the Oregon production area. Fish. Oceanogr., 11(2):65-77.

Krammes, J. S. and D. M. Burns. 1973. Road construction in Caspar Creek watersheds - a 10-year progress report. Research Paper. PSW-93. Berkeley, CA. Pacific Southwest Forest and Range Experimental Station. U.S.D.A. Forest Service.

KRBFTF (Klamath River Basin Fisheries Task Force). 1991. Long range plan for the Klamath River basin conservation area fishery restoration program. Available from the U.S. Fish and Wildlife Service, Yreka Fish and Wildlife Office, Yreka, CA. 96097.

LaBelle, M. 1992. Straying patterns of coho salmon stocks from southeast Vancouver Island, British Columbia. Can. J. Fish. Aquat. Sci. 49:1843-1855.

LaChance, S. and P. Magnan. 1990a. Performance of domestic, hybrid, and wild strains of brook trout, *Salvelinus fontinalis*, after stocking: the impact of intra- and inter-specific competition. Can. J. Fish. Aquat. Sci. 47:2278-2284.

LaChance, S. and P. Magnan. 1990b. Comparative ecology and behavior of domestic, hybrid and wild strains of brook trout *Salvelinus fontinalis*, after stocking. Can. J. Fish. Aquat. Sci. 47:2285-2292.

Lande, R. 1995 (in press). Mutation and conservation. Conservation Biology.

Lande, R., and G.F. Barrowclough. 1987. Effective population size, genetic variation and their use in population management. Pp 87-124, *In:* M. Soule (ed.) Conservation Biology: An evolutionary-ecological perspective. Sinauer Associates, Sunderland, MA.

Laufle, J. C., G. B. Pauley, and M. F. Shepard. 1986. Species Profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest) - - Coho salmon. U.S. Fish and Wildl. Serv. Biol. Rep. 82(11.48). U.S. Army Corps of Engineers, TR EL-82-4. 18 p.

Lake, R. G. and S. G. Hinch. 1999. Acute effects of suspended sediment angularity on juvenile coho salmon (*Oncorhynchus kisutch*). Can. J. Aquat. Sci. 56: 862-867.

Larsson, P. O. 1985. Predation on migrating smolt as a regulating factor of Baltic salmon, *Salmo salar L.*, populations. Journal of Fish Biology 26:391-397.

Lawson, P. W. 1993. Cycles in ocean productivity, trends in habitat quality, and the restoration of salmon runs in Oregon. Fisheries 18(8): 6-10.

Leider, S.A., P.L. Hulett, J.J. Loch, and M.W. Chilcote. 1990. Electrophoretic comparison of the reproductive success of naturally spawning transplanted and wild steelhead trout through the returning adult stage. Aquaculture 88:239-252.

Leidy, R. 1981. Letter to John Emig, California Department of Fish and Game, Yountville, California.

Leidy, R. 1999. Fish survey 1992-1998, Bay Area stream fishes, version 1.2. U.S. Environmental Protection Agency, 328 p.

Leidy, R. and G. Becker. 2001. Letter to Dennis McEwan, California Department of Fish and Game.

Leitritz, E. 1970. A history of California fish hatcheries 1870-1960. California Department of Fish and Game. Fish Bulletin 150. Inland Fisheries Branch, Sacramento, California.

Leitritz, E. and R.C. Lewis. 1980. Trout and salmon culture. California Fish and Game Bull. 164.

Levin, P.S. and M.H. Schiewe. 2001. Preserving salmon biodiversity. American Scientist 89(3):220-227.

Levins, R. 1969. Some demographic and genetic consequences of environmental heterogeneity for biological control. Bull. Entomol. Soc. Am. 15:237-240.

Li, H. W., M. Dutchuk, C. B. Schreck. 1979 (unpublished data). Available from the senior author, Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.

Lichatowich, J.A. and J.D. McIntyre. 1987. Use of hatcheries in the management of Pacific anadromous salmonids. Am. Fish. Soc. Symp. 1:131-136.

Ligon, F., A. Rich, G. Rynerson, D. Thornburgh, and W. Trush. 1999. Report of the scientific review panel on California Forest Practices Rules and salmonid habitat. Prepared for the Resources Agency of California and the National Marine Fisheries Service.

Lisle, T.E. 1986. Effects of woody debris on anadromous salmonid habitat, Prince of Wales Island, southwest Alaska. North American Journal of Fisheries Management, 6:538-550.

Lisle, T.E. and M.B. Napolitano. 1998. Effects of recent logging on the main channel of North Fork Caspar Creek. *In:* R.R. Ziemer, Tech. Cord., Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story; Map 6, 1998, Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. Pp. 81-85.

Lloyd, D. S., J. P. Koenings, and J. D. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. North American Journal of Fisheries Management 7:18-33.

LP (Louisiana Pacific Corporation) 1996. Unpublished data. Fish distribution for watersheds in Louisiana Pacific's Coastal Mendocino/Sonoma Management Unit, 1994 -1996.

Lucoff, W. 1980. The distribution of six selected species from the genera *Oncorhynchus*, *Salmo*, and *Salvelinus* in California. Unpublished M.S. Project, California State University, Hayward.

Lynch, M. 1990. Mutation load and the survival of small populations. Evolution 44:1725-1737.

Lynch, M. 1997. Inbreeding depression and outbreeding depression. *In:* Genetic effects of straying of non-native hatchery fish into natural populations. W.S. Grant (ed). NOAA Technical Memo. NMFS NWFSC-30.

Maahs, M. 1996. A spawning and habitat evaluation for portions of the Ten Mile River, Caspar Creek, and Garcia River. Salmon Trollers Marketing Association, Inc., P. 0. Box 137, Fort Bragg, California 95437. 5 p.

Maahs, M. 1997. The 1996-97 salmonid spawning survey for portions of the Ten Mile River, Garcia River and Caspar Creek. Prepared by Salmon Trollers Marketing Association, Inc, P.O. Box 137, Fort Bragg, CA 95437. Prepared for Humboldt County Resource Conservation District.

Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A pacific interdecadal climate oscillation with impacts on salmon production. Bull. Am. Meteorol. Soc. 78: 1069-1079.

Mapstone, B. D. 1995. Scalable decision rules for environmental impact studies: effect size, Type I, and Type II errors. Ecol. Appl. 5:401-410.

Mason, J.W., O.M. Brynilson, and P.E. Degurse. 1967. Comparative survival of wild and domestic strains of brook trout in streams. Trans. Am. Fish. Soc. 96(3): 313-319.

May, C.W., 1997. Quality Indices for Urbanization Effects in Puget Sound Lowland Streams. University of Washington - Department of Civil Engineering, Water Resources Series Technical Report No. 154, Seattle, WA.

Maynard, D.J., T.A. Flagg, and C.V.W. Mahnken. 1995. A review of innovative culture strategies for enhancing the post-release survival of hatchery-reared salmon. Bull. Natl. Res. Inst. Aquacult., Supplement 2:71-77.

Maynard, D.J., T.A. Flagg, C.V.W. Mahnken, and S.L. Schroder. 1996. Natural rearing technologies for increasing post-release survival of hatchery-reared salmon. Bull. Natl. Res. Inst. Aquacult., Supplement 2:71-77.

Mayr, E. 1966. Animal species and evolution. M.A.: Belkamp Press

McCashion, J.D. and R.M. Rice. 1983. Erosion of logging roads in northwestern California: how much is avoidable? Journal of Forestry, 23-26.

McCullough, D. 1999. A Review and Synthesis of Effects of Alterations to the Water Temperature Regime on Freshwater Life Stages of Salmonids, with Special Reference to Chinook Salmon. Columbia Intertribal Fisheries Commission, Portland, OR. Prepared for the U.S. Environmental Protection Agency Region 10. Published as EPA 910-R-99-010

McDonald, D.G, J.P. Reader, and T.R.K. Dalziel. The combined effects of pH and trace metals on fish ionoregulation, *In:* Acid toxicity and aquatic animals, pp. 223 - 242, Cambridge University Press, 1989; New York, Edited By: R. Morris, E.W. Taylor, D.J.A. Brown, and J.A. Brown (eds)

McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42, 156 pp.

McHenry, M. L., D. C. Morrill, and E. Currence. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five North Olympic Peninsula watersheds. A study funded by the Department of Ecology, Centennial Clean Water Fund & Section 205J Clean Water Act. Prepared by the Lower Elwha S'Kallan Tribe and the Makah Tribe, Port Angeles and Neah Bay, Washington.

McIntyre, J.D., and Reisenbichler. 1986. A model for selecting harvest fraction for aggregate populations of hatchery and wild anadromous salmonids. *In:* R.H. Stroud (ed), Fish culture in fisheries management. Pp. 179-189. American Fisheries Society, MD.

McIsaac, D.O. 1990. Factors affecting the abundance of 1977-1979 brood yearswild fall Chinook salmon (*Oncorhynchus tshawytscha*) in the Lewis River, Washington. Ph.D. Thesis, Univ. Washington, Seattle,174 p. (cited in Quinn 1997)

McKay, S.J., R.H. Devlin, and M.J. Smith. 1996. Phylogeny of Pacific salmon and trout based on growth hormone type-2 and mitochondrial NADH dehydrogenase subunit 3 sequences. Can. J. Fish. Aquat. Sci. 53: 1165-1176.

Meehan, W.R. (ed). 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication No. 19.

Meehan, W.R., W.A. Parr, D.M. Bishop, and J.H. Patric. 1969. Some effects of clearcutting on salmon habitat of two southeast Alaska streams. U.S. Forest Service Research Paper, PM-1-82. Pacific Northwest Forest and Range Experimental Station, Portland, Oregon.

Meffe, G.K. 1992. Techno-arrogance and halfway technologies—Salmon hatcheries on the Pacific coast of North America. Conservation Biology 6:350-354.

Megahan, W.F. 1972. Sedimentation in relation to logging activities in the mountains of central Idaho. U.S. Agricultural Res. Serv. Rep. ARS-S-40.

Merenlender, A. M., C. N. Brooks, and G. A. Giusti. 2000. Policy analysis related to the conversion of native habitat to vineyard: Sonoma County's vineyard erosion and sediment control ordinance as a case study. University of California, Berkeley. Integrated Hardwood Range Management Program.. Electronic document: <a href="http://danr.ucop.edu/ihrmp/policy\_paper.pdf">http://danr.ucop.edu/ihrmp/policy\_paper.pdf</a>

Miller, R. B. 1953. Comparative survival of wild and hatchery reared cutthroat trout in a stream. Trans. Am. Fish. Soc. 83:120-130.

Miller, W. H., T. C. Cooley, H.L. Burge, and T.T. Kisanuki. 1990. Emphasis on unpublished and present programs. *In:* W.H. Miller (editor), Analysis of salmon and steelhead supplementation, Part 1. Report to Bonneville Power Administration (Proj. 88-100).

Milner, G. B. 1993. Isozyme variation of coho salmon (*Oncorhynchus kisutch*) and its potential to estimate stock compositions of mixed stock fisheries. *In*: L. Berg and P.W. Delany (editors), Proceedings of the coho workshop, Nanaimo, B.C., May 26-28, 1992, p. 182-192. (Available from Canadian Department of Fisheries and Oceans, Habitat Management Sector, Policy and Information Unit, 327-555 W. Hastings St., Vancouver, B.C. V6B 5G3.)

Monan, G. E., J. H. Johnson, and G. F. Esterberg. 1975. Electronic tags and related tracking techniques aid in study of migrating salmon and steelhead trout in the Columbia River basin. Marine Fisheries Review 37:9-15.

Monschke, J. 1996. Overview of stream channel conditions, North Fork Garcia River. A report submitted for Coastal Forestlands, Ltd.

Moring, J.R., G.C. Garman, and D.M. Mullen. 1994. Effects of logging practices on fishes in streams and techniques for protection: a review of four studies in the United States. *In:* I.G. Cowx, Ed., Rehabilitation of Freshwater Fishes. Hull International Fisheries Institute, University of Hull, U.K.

Mortensen, D. G., B. P. Snyder, and E. O. Salo. 1976. An analysis of the literature on the effects of dredging on juvenile salmonids. Contract Number N-68248-76-C-0011. Special report to the Department of Navy. University of Washington, College of Fisheries, Fisheries Research Institute, Seattle.

Moyle, P.B. 1969. Comparative behavior of young brook trout of domestic and wild origin. Prog. Fish-Cult. 31:51-59.

Moyle, P.B. 1976. Inland Fishes of California. University of California Press. 405 pp.

Moyle, P. B., R. M.. Yoshiyama, J. E. Williams, E. D. Wikramanayake. 1995. Fish species of special concern in California. Second edition. California Department of Fish and Game. Final report for contract no. 2128IF. 272 p.

MRC (Mendocino Redwood Company) 1999. Summary of fish index site monitoring in watersheds within the Mendocino Redwood Company's ownership in Mendocino and Sonoma Counties: 1987 - 1996. MRC, Fort Bragg, California.

MRC (Mendocino Redwood Company) 2000. Fish distribution for watersheds in Mendocino Redwood Company forest lands, 2000. Mendocino County, California.

Murata, S., N. Takasaki, M. Saito, and N. Okada. 1993. Determination of the phylogenetic relationships among Pacific salmonids by using short interspersed elements (SINES) as temporal landmarks of evolution. Proc. Natl. Aca. Sci. U.S.A. 90: 6995-6999.

Murata, S., N. Takasaki, M. Saito, H. Tachida, and N. Okada. 1996. Details of retropositional genome dynamics that provide a rationale for a generic division: the distinct branching of all of the Pacific salmon and trout (*Oncorhynchus*) from Atlantic salmon and trout (*Salmo*). Genetics. 142: 915-926.

Murphy, M.L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska- requirements for protection and restoration. National Oceanic and Atmospheric Administration, NOAA Coastal Ocean Program, Decision Analysis Series No. 7.

Murphy, M. L. and W. R. Meehan. 1991. Stream ecosystems. *In:* Influences of forest and rangeland management on salmonid fishes and their habitats. Meehan, W. R. (ed).. American Fisheries Society Special Publication 19: 17-

Murphy, M.L., J. Heifetx, S.W. Johnson, K.V. Koski, and J.F. Thedinga. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. Canadian Journal of Fisheries and Aquatic Sciences 43:1521-1533.

Myers, K.W. 1980. An investigation of the utilization of four study areas in Yaquina Bay, Oregon, by hatchery and wild juvenile salmonids. M.S. Thesis, Oregon State Univ., Corvallis, 233 p. (Cited in Flagg et al. 2000.)

Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neeley, S.T. Lindley, and R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-35, 443 p.

Naiman, R. J., T. J. Beechie, L. E. Benda, D. R. Berg, P. A. Bisson, L. H. MacDonald, M. D. O'Connor, P. L. Olson, and E. A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pages 127-188 *In:* R. J. Naiman, (ed). Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York.

Nakamoto, R.J. 1998. Effects of timber harvest on aquatic vertebrates and habitat in the North Fork Caspar Creek. *In:* R.R. Ziemer, Tech. Cord., Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story; Map 6, 1998, Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. Pp. 87-94.

Napolitano, M.B. 1998. Persistence of historical logging impacts on channel form in mainstem North Fork Caspar Creek. *In:* R.R. Ziemer, Tech. Cord., Proceedings of the Conference on Coastal Watersheds: the Caspar Creek Story; Map 6, 1998, Ukiah, California. General Tech. Rep. PSW GTR-168. Albany, California: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. Pages 97-101.

National Council on Gene Resources. 1982. Anadromous salmonid genetic resources: and assessment plan for California. California Gene Resources Program, Berkeley. 168 pp.

Neave, F. 1943. Diurnal fluctuations in the upstream migration of coho and spring salmon. J. Fish. Res. Board Can. 6: 158-163.

Nehlsen, W., J.E. Williams, and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. Fisheries 16:4-21.

Nei, M. 1972. Genetic distance between populations. American Naturalist 106:283-292.

Nei, M. 1987. Genetic distance and molecular phylogeny. *In:* N. Ryman (ed.) Population genetics and fishery management. p.193-215. Univ. Wash. Press

Nicholas, J.W., and L. Van Dyke. 1982. Straying of adult coho salmon to and from a provate hatchery at Yaquina Bay, Oregon. Oregon Dep. Fish and Wildl. Info. Rep. 82-10, 16 p.

Nickelson, T.E., M.F. Solazzi, and S.L. Johnson. 1986. Use of hatchery coho salmon (*Oncorhynchus kisutch*) presomolts to rebuild wild populations in Oregon coastal streams. Can J. Fish. Aquat. Sci. 43:2443-2449.

Nickelson, T.E., J.D. Rogers, S.L. Johnson, and M.F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. Can. J. Aquat. Sci. 49: 783-789.

Nielsen, J. L., T. E. Lisle, and V. Ozaki. 1994. Thermally stratified pools and their use by steelhead in northern California streams. Transactions of the American Fisheries Society 123:613-626

NMFS (National Marine Fisheries Service). 1977-1993. Current fishery statistics. Fisheries of the United States, 1975...1992. U.S. Dept. Commer., NOAA, Washington, D.C. (As cited in Brown et al. 1994.)

NMFS (National Marine Fisheries Service). 1988. Marine mammal protection act of 1972. Annual report 1987/88. Washington, D.C., U.S. Dep. Comm. 68 pp.

NMFS (National Marine Fisheries Service). 1996. National gravel extraction policy. Santa Rosa, California. (http://swr.ucsd.edu/hcd/gravelsw.htm).

NMFS (National Marine Fisheries Service). 1997. NMFS proposed recovery plan for Sacramento river winter-run chinook salmon. August 1997. 292 pp, plus appendices (A-C)

NMFS (National Marine Fisheries Service). 1998. Factors contributing to the decline of chinook salmon: an addendum to the 1996 west coast steelhead factors for decline report. Protected Resources Division, NMFS, Portland, Oregon. 74 pp.

NMFS (National Marine Fisheries Service). 2000. Salmonid guidelines for forestry practices in California. February 8, 2000. 15-page unpublished document.

NMFS (National Marine Fisheries Service). 2001a. Status review update for coho salmon (*Oncorhynchus kisutch*) from the central California coast and the California portion of the southern Oregon/northern California coasts

Evolutionary Significant Units. Prepared by the Southwest Fisheries Science Center, Santa Cruz Laboratory, Santa Cruz, California 95060. 40 pp.

NMFS (National Marine Fisheries Service). 2001b. The effects of summer dams on salmon and steelhead in California coastal watersheds and recommendations for mitigating their impacts. NMFS, Santa Rosa, California. 48p.

NOAA (National Oceanic and Atmospheric Administration). 2001. Electronic information http://www.elnino.noaa.gov/lanina.html. Last updated December 31, 2001.

NPS (National Park Service). 2001. Unpublished fisheries surveys.

NRC (Natural Resources Consultants, Inc.). 1995. Database of artificially propagated anadromous salmon. Prepared for NMFS Conservation Biology Program, Coastal Zone and Estuarine Studies Division, Northwest Fisheries Science Center, Contract No. 50ABNF400128. (Cited in Weitkamp et al. 1995)

NRC (National Research Council). 1996. Upstream: salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.

Null, J. 2001. El Niño and La Niña. Their relationship to California flood damage. Golden Gate Weather Services. Electronic Document: http://ggweather.com/nino/calif\_flood.html. last updated 10/7/01

Null, J. and J. Monteverdi. 1999. La Niña & California Rainfall. Department of Geosciences, San Francisco State University. Electronic Document: http://www.wdc.ndin.net/calnina.html. Last updated December 6, 1999.

O'Brien, S. and J. Everman. 1989. Interactive influence of infectious desease and genetic diversity in natural populations. Trends in Ecology and Evolution 3:254-259.

O'Grady, M.F. 1983. Observations on the dietary habits of wild and stocked brown trout (*Salmo trutta* L.) in Irish lakes. J. Fish. Biol. 22:593-601.

Ogura, M., Y. Ishida, and S. Ito. 1989. Ocean growth variation of coho as related to pink salmon abundance. *In:* P.A. Knudsen (ed), Fourteenth North Pacific Pink and Chum Salmon Workshop, 22-24 February, 1989, Port Ludlow, WA. Pp. 132-135.

Olin, P.G. 1984. Genetic variability in hatchery and wild populations of coho salmon, *Oncorhynchus kisutch*, in Oregon. M.S. Thesis, University of California, Davis, 73 p.

Olla, B.L., M.W. Davis, and C.H. Ryer. 1990. Foraging and predator avoidance in hatchery reared Pacific salmon: achievement of behavioral potential. *In:* J.E. Thorpe and F.A. Huntington (editors), The importance of feeding behavior for the efficient culture of salmonid fishes. Pp. 5-12. World Aquaculture Society, Baton Rouge, LA.

Olla, B.L., M.W. Davis, and C.H. Ryer. 1998. Understanding how the hatchery environment represses or promotes the development of behavioral survival skills. Bull. Mar. Sci. 62(2):531-550.

OWRRI (Oregon Water Resources Research Institute). 1995. Gravel disturbance impacts on salmon habitat and stream health. A report for the Oregon Division of State Lands. Vol 1: Summary Report. 52 pp. Vol 2: Technical background report. 225 pp

Pacific States Marine Fisheries Commission. 2001. StreamNet online database. Available through Internet, http://www.streamnet.org.

Parrish, R.R., and M.J. Tegner. 2001. Calfironia's variable ocean environment, p. 21-28, in Leet, W.S., C.M. Dewees, R. Klingbeil, and E.J. Larsen, eds. California's living marine resources: A status report. The Resources Agency, California Department of Fish and Game.

Pearcy, W. 1992. Ocean ecology of North Pacific salmonids. Univ. Wash. Press, Seattle, WA.

Pennell, W., and B.A. Barton (editors). 1996. Principles of salmonid culture. Elsevier, Amsterdam, 1038 p.

Pert, H. A. 1993. Winter food habits of coastal juvenile steelhead and coho salmon in Pudding Creek, northern California. MS thesis. Univ. Calif. Berkeley. 65 p..

PFMC (Pacific Fishery Management Council). 1999. Identification and description of essential fish habitat, adverse impacts, and recommended conservation measures for salmon. Amendment 14 to the Pacific Coast Salmon plan. PFMC pursuant to National Oceanic and Atmospheric Administration(NOAA) award number NA07FC0026. 146 pp.

PFMC (Pacific Fisheries Management Council). 2001a. Review of 2000 Ocean Salmon Fisheries. February 2001. 284p.

PFMC (Pacific Fisheries Management Council). 2001b. Preseason Report III, Analysis of Council Adopted Management Measures for 2001 Ocean Salmon Fisheries. April 2001. 39p.

Phelps, S.R., B.M. Baker, P.L. Hulett, and S.A. Leider. 1994. Genetic analysis of Washington steelhead: initial electrophoretic analysis of wild and hatchery steelhead and rainbow trout. Report 94-9, Fisheries Management Program, Washington Department of Fish and Wildlife. 63 p.

Phillips, R. W., and H. J. Campbell. 1961. The embryonic survival of coho salmon and steelhead trout as influenced by some environmental conditions in gravel beds. Pages 60-73 *In:* 14th annual report of the Pacific Marine Fisheries Commission, Portland, Oregon.

Phillips, R.B., K.A. Pleyte, and M.R. Brown. 1992. Salmonid phylogeny inferred from ribosomal DNA restriction maps. Can. J. Fish. Aquat. Sci. 49: 2345-2353.

Piper, R.G., I.B. McIlwain, L.E. Orme, J.P. McCraren, L.G. Fowler, and J.R. Leonard. 1982. Fish hatchery management. U.S. Dep. Interior, U.S. Printing Office, Washington, D.C., 517 p.

Post, P. 1987. Revised and expanded edition, textbook of fish health. T.F.H. Publications. 288 pp.

Potter, E.C.E., and I.C. Russell. 1994. Comparison of the distribution and homing of hatchery-reared and wild Atlantic salmon, *Salmo salar* L., from northeast England. Aquacult. Fish. Manage. 25 (Suppl. 2):31-44.

Pulliam, H.R. 1988. Sources, sinks, and population regulation. Am. Nat. 132:652-661.

Quinn, T.P. 1993. A review of homing and straying of wild and hatchery-produced salmon. Fish. Res. 18:29-44.

Quinn, T.P. 1997. Homing, straying, and colonization. *In:* S. Grant (editor). Genetic effects of straying of nonnative hatchery fish into natural populations. U.S. Dept. of Commer., NOAA Tech. Memo, NMFS-NWFSC-30, Seattle, WA.

Quinn, T.P., and K. Fresh. 1984. Homing and straying in chinook salmon *Oncorhynchus tshawytscha* from Cowlitz River Hatchery, Washington. Canadian Journal of Fisheries and Aquatic Sciences 41:1078-1082.

Rand, G. M., and S. R. Petrocelli, editors. 1985. Fundamentals of aquatic toxicology: methods and applications. Hemisphere Publishing Corporation, Washington, D.C.

Reeves, G. H. 1985. Competition between redside shiners and steelhead trout in the Umpqua River, Oregon. Ph.D. Thesis, Oregon State University, Corvallis, Oregon.

Reid, L. M. 1998. Forest roads, chronic turbidity, and salmon. EOS, Transactions, American Geophysical Union 79(45): F285

Reisenbichler, R.R. 1997. Genetic factors contributing to declines of anadromous salmonids in the Pacific Northwest. *In:* D.J. Stouder, P.A. Bisson, and R.J. Naiman (eds), Pacific salmon and their ecosystems: status and future opportunities. Chapman and Hall, NY. Pp. 223-244.

Reisenbichler, R.R. and J.D. McIntyre. 1977. Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, *Salmo gairdneri*. J. Fish. Res. Board. Can. 34:123-128.

Reisenbichler, R.R. and S.R. Phelps. 1989. Genetic variation in steelhead (*Salmo gairdneri*) from the north coast of Washington. Can. J. Fish. Aquat. Sci. 46:66-73.

Reisenbichler, R.R. and S.P. Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. ICES J. Mar. Sci. 56:459-466.

Reiser, D.W. and T.C. Bjornn. 1979. Habitat requirements of anadromous salmonids. *In:* W.R. Meehan, editor. Influence of forest and rangeland management on anadromous fish habitat in western North America. Pacific Northwest Forest and Range Experiment Station, U.S. Forest Service, Department of Agriculture. GTR-PNW-96. Pp. 1-54.

Reynolds, F. L., T. J. Mills, R. Benthin, and A. Low. 1993. Restoring Central Valley streams: a plan for action.

Rich, A.A. 1991. The impacts of timber harvest practices on the fishery resources of the Navarro River watershed, Mendocino County, California. Phase III: Fishery resources and baseline surveys. Annual Report. Prepared for Louisiana-Pacific, Samoa, California.

Richardson, J. 1836. Fauni Boreali - Americana: or the zoology of the northern parts of British America: part third *The fish*. Richard Bentley, London.

Ricker, W.E. 1972. Heredity and environmental factors affecting certain salmonid populations. *In:* R.C. Simon and P.A. Larkin (eds.), The stock concept in Pacific salmon. Pp. 27-160. University of British Columbia, Vancouver, BC.

Ricker, W.E. 1981. Changes in the average size and average age of Pacific salmon. Can. J. Fish. Aquat. Sci. 38:1636-1656.

Roffe, T.J. and B.R. Mate. 1984. Abundance and feeding habits of pinnipeds in the Rogue River, Oregon. J. Wildl. Manage. 48(4): 1262-1274.

Rundquist, L.A. 1980. Effects of gravel removal on river hydrology and hydraulics. *In:* Woodward-Clyde Consultants, ed. Gravel removal studies in arctic and subarctic floodplain in Alaska - technical report; pp. 67-140. U.S. Fish Wildl. Serv., Biological Services Program, FWS/OBS-80/08. 403 pp.

Ryding, K.E., and J.R. Skalski. 1999. Multivariate regression relationships between ocean conditions and early marine survival of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci., 56:2374-2384.

Ryman, N., and L. Laikre. 1991. Effects of supportive breeding on the genetically effective population size. Conservation Biology 5: 325-329.

Saccheri, I., M. Kuussaari, M. Kankare, P. Vikman, W. Fortelius, and I. Hanski. 1998. Inbreeding and extinction in a butterfly metapopulation. Nature 392:491-494.

Salmon and Steelhead Recovery Coalition. 2001. Endangered species petition: coho salmon (*Oncorhynchus kisutch*) California Endangered Species Act. Submitted July 2000 to the Calif. Fish and Game Commission.

Salo, E.O., and W.H. Bayliff. 1958. Artificial and natural production of silver salmon, *Oncorhynchus kisutch*, at Minter Creek, Washington. Wash. Dep. Fish. Res. Bull. 4.

Salo, E.O. and T. W. Cundy, editors. 1987. Streamside management: forestry and fishery interactions. Contribution No. 57. Institute of Forest Resources, University of Washington, Seattle, Washington.

Sandercock, F. K. 1991. Life history of coho salmon, *Oncorhynchus kisutch*. Pp. 397-445 *In*: C. Groot and L. Margolis (eds). Pacific salmon life histories. Univ. Of British Columbia Press, Vancouver, B. C.

Scarlett, W.J. and C.J. Cederholm. 1984. Juvenile coho salmon fall-winter utilization of two small tributaries of the Clearwater River, Jefferson County, Washington. Pp. 227-242. *In:* J.M. Walton and D.B. Houston, editors. Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983. Fisheries Technology Program, Peninsula College, Port Angeles, WA.

Scheffer, T. H., and C.C. Sperry. 1931. Food habits of the Pacific harbor seal, *Phoca vitulina richardsi*. J. Mammal. 12(3):214-226.

Schlosser, I.J. and P.L. Angermeier. 1995. Spatial variation in demographip processes of lotic fishes: conceptual models, empirical evidence, and implications for conservation. *In:* J.L. Nielsen,(ed.), Evolution and the aquatic ecosystem: defining unique units in population conservation, p. 392-401. Am. Fish. Soc. Symp. Bethesda, Maryland.

Scholz, N.L., N. K. Truelove, B. L. French, B. A. Berejikian, T. P. Quinn, E. Casillas, and T. K. Collier. 2000. Diazinon disrupts antipredator and homing behaviors in chinook salmon (*Oncorhynchus tshawytscha*). Can. J. Fish. Aquat. Sci. 57: 1911-1918.

Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Bulletin 184, Fisheries Research Board of Canada, Ottawa. Pp. 158-164.

SEC (Steiner Environmental Consulting). 1996. A history of the salmonid decline in the Russian River. Sonoma County Water Agency, California State Coastal Conservancy, Steiner Environmental Consulting.

Sedell, J. R. and K. J. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. Pp. 210-223. *In:* N. B. Armantrout (ed). Acquisition and Utilization of Aquatic Habitat Inventory Information, symposium held 23-28 October 1981, Portland, Oregon. American Fisheries Society, Western Division, Bethesda, Maryland.

Sedell, J.R., F.H. Leone, and W. S. Duval. 1991. Water transportation and storage of logs. American Fisheries Society Special Publication No. 19:325-368.

SEIS (Supplemental Environmental Impact Statement). 1994. Final SEIS on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. U.S. Forest Service and Bureau of Land Management.

Shapovalov, L. and A. C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California, and recommendations regarding their management. Calif. Dep. Fish and Game, Bull. 98. 375 p.

Shedlock, A.M., J.D. Parker, D.A. Crispin, T.W. Pietsch, and G.C. Burmer. 1992. Evolution of the salmonid mitochondrial control region. Mol. Phylogenet. Evol. 1: 179-192.

Shirazi, M. A. and W. K. Seim. 1981. Stream system evaluation with emphasis on spawning habitat for salmonids. Water Resources Research 17:592-594.

Simon, R.C., J.D. McIntyre, and A.R. Hemmingsen. 1986. Family size and effective population size in a hatchery stock of coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 43:2434-2442.

Skaala, Ø., G. Dahle, K.E. Jørstad, and G. Nævdal. 1990. Interactions between natural and farmed fish populations: information from genetic markers. J. Fish. Biol. 36:449-460.

Skeesick, D.B. 1970. The fall immigration of juvenile coho salmon into a small tributary. Res. Rep. Fish Comm. Oregon 2: 90-95.

Smith, J. 1998. Distribution and abundance of coho and steelhead in Redwood Creek in fall 1998. Unpublished report. San Jose State University, Department of Biological Sciences. San Jose, California.

Smith, J. 2000. Distribution and abundance of juvenile coho and steelhead in Redwood Creek in fall 2000.

Snider, W., 1984. An assessment of coho salmon and steelhead resource requirements in Redwood Creek, Marin County. California Department of Fish and Game, Environmental Services Branch, Adm. Report 84-1.

Snyder, J.O. 1931. Salmon of the Klamath River, California. Division of Fish and Game, Bulletin No. 34.

Solazzi, M.G. 1986. Electrophoretic stock characterization of coho salmon populations in Oregon and Washington, and coastal Chinook salmon populations in Oregon. Oregon Department of Fish and Wildlife Information Report, 86-5, 16 p.

Solazzi, M.F., T.E. Nichelson, and S.L. Johnson. 1991. Survival, contribution, and return of hatchery coho salmon ((*Oncorhynchus kisutch*) released into freshwater, estuaring, and marine environments. Can. J. Fish. Aquat. Sci. 48:248-253.

Sorenson, D. L., M. M. McCarthy, E. J. Middlebrooks, and D. B. Porcella. 1977. Suspended and dissolved solids effects on freshwater biota. EPA-600/3-77-042. U.S. Environmental Protection Agency, Corvallis, Oregon.

Sosiak, A. 1978. The comparative behavior of wild and hatchery-reared juvenile Atlantic salmon (*Salmo salar* L.). M.S. Thesis, Univ. New Brunswick, Fredericton, 198 p. (Cited in Flagg et al 2000.)

Sosiak, A.J., R.G. Randall, and J.A. McKenzie. 1979. Feeding by hatchery-reared and wild Atlantic salmon (Salmo salar) parr in streams. J. Fish. Res. Board. Can. 36:1408-1412.

Spence, B. C. 1995. Geographic variation in timing of fry emergence and smolt migration of coho salmon (*Oncorhynchus kisutch*). Doctoral dissertation. Oregon State University, Corvallis.

Spence, B., G. Lomnicky, R. Hughes, and R. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-401-96-6057. ManTech Environmental Research Services Corporation, Corvallis, OR. 356 pp.

SRCRMP (Shasta River Coordinated Resources Management and Planning Committee). 2001. Letter from Blair Hart to J. Pisciotto plus supporting documentation regarding submission of information for the CDFG coho status review, dated 10/29/2001.

SRWC (Scott River Watershed Council). 2001. Letter from Gareth Plank to J. Pisciotto plus supporting documentation regarding submission of information for the CDFG coho status review, dated 11/1/2001.

SRWCRMP (Scott River Watershed CRMP Committee). 1995. Scott River fall flows action plan (Working Plan. Scott River CRMP. Etna, CA.12p.

SRWCRMP (Scott River Watershed CRMP Committee). 1997. Scott River watershed fish population and habitat plan, 1997 working plan. Scott River CRMP. Etna, CA.20p.

Stanley W. T. and K. E. Shaffer. 1995. Harbor seal (*Phoca vitulina*) predation on seined salmonids in the lower Klamath River, California. Marine Mammal Science, 11(3): 376-385.

State Water Resources Control Board. 1996. Water rights and diversions data layer, State of California, State Water Resources Control Board.

Stearley, R.F. 1992. Historical ecology of Salmoninae, with special reference to *Oncorhynchus. In:* Systematics, historical ecology, and North American freshwater fishes. L. Mayden (ed). Stanford University Press, Stanford, California.

Steward, E.R. and T.C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish; a synthesis of published literature. Bonneville Power Administration Project 88-100, part 2, Portland Oregon.

Stoskopf, M. K. 1993. Fish medicine. W. B. Saunders Company, Brace Jovanovich, Inc. 882 pp.

Streig, D. 1991. History of fish cultural activities in Santa Cruz County with special reference to Scott and Waddell creeks. Monterey Bay Salmon and Trout Project, Davenport, California (Unpublished report), 9 p.

Swain, D.P., and B.E. Riddell. 1990. Variation in agonistic behavior between newly emerged juveniles from hatchery and wild populations of coho salmon, *Oncorhynchus kisutch*. Can J. Fish. Aquat. Sci.47:566-571.

Symons, P.E. 1968. Increase in aggression and strength of the social hierarchy among juvenile Atlantic salmon deprived of food. J. Fish. Res. Board Can. 25:2387-2401.

Tagart, J. V. 1984. Coho salmon survival from egg deposition to fry emergence. Pp. 173-181. *In:* J.M. Walton and B. Houston (eds). Proceedings of the Olympic Wild Fish Conference, March 23-25, 1983. Fisheries Technology Program, Peninsula College, Port Angeles, WA.

Taylor, E.B. 1991. A review of local adaptation in Salmonidae, with particular reference to Pacific and Atlantic salmon. Aquaculture 98: 185-207.

Taylor, E.B. and P.A. Larkin. 1986. Differences in morphology between wild and hatchery populations of juvenile coho salmon. Prog. Fish. Cult. 48:171-176.

Taylor, E.B. and J.D. McPhail. 1985. Variation in burst and prolonged swimming performance among British Columbia populations of coho salmon, *Oncorhynchus kisutch*. Can. J. Fish. Aquat. Sci. 42:2029-2033.

Terrell, C. R., and P. B. Perfetti. 1989. Water quality indicators guide: surface waters. U.S. Soil Conserv. Serv. SCS-TP-161. Washington, D.C. 129 pp.

Thomas, V.G. 1985. Experimentally determined impacts of a small, suction gold dredge on a Montana stream. North American Journal of Fisheries Management 5:480-488.

Thomas, W.K. and A.T. Beckenbach. 1989. Variation in salmon mitochondrial DNA: evolutionary constraints and mechanisms of substitution. J. Mol. Evol. 29: 233-245.

Thomas, W.K., R.E. Withler, and A.T. Beckenbach. 1986. Mitochondrial DNA analysis of Pacific salmonid evolution. Can. J. Zool. 64:1058-1064.

Thompson, K. 1972. Determining stream flows for fish life. Pages 31-50. *In*: Proceedings, instream flow requirements workshop. Pacific Northwest River Basins Commission, Vancouver, Washington.

Trihey (Trihey & Associates, Inc.). 1995. Lagunitas Creek anadromous fish monitoring report fall 1995. 4180 Treat Boulevard, Concord, California 94518.

Tripp, D. and P. McCart. 1983. Effects of different coho stocking strategies on coho and cutthroat trout production in isolated headwater streams. Can. Tech. Rep. Fish. Aquat. Sci. 40: 452-461.

Tschaplinski, P. J. 1999. The effects of forest harvesting, fishing, climate variation, and ocean conditions on salmonid populations of Carnation Creek, Vancouver Island, British Columbia. *In*: Sustainable fisheries management Pacific salmon, Knudsen, E. E., C. R Steward, D. D. MacDonald, J. E. Williams, D. W. Reiser, (eds). CRC Press LLC, Lewis Publishers. pgs 297-328.

Tschaplinski, P.J. and G.F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for over-wintering survival. Can. J. Fish Aquat. Sci. 40: 452-461.

Uchida, K., K. Tsukamotot, S. Ishii, R. Ishida, and T. Kajihara. 1989. Larval competition for food between wild and hatchery reared ayu (*Plecoglossus altivelis*) in culture ponds. J. Fish. Biol. 34:399-407.

USCA (United States Court of Appeals for the Ninth Circuit). 2001. Pacific Coast Federation of Fishermen's Associations, Inc.; Institute for Fisheries Resources; Oregon Natural Resources Council; Umpqua Watersheds; Coast Range Association; Headwaters versus National Marine Fisheries Service and Douglas Timber Operators; Northwest Forestry Association. Opinion. No. 99-360-27, CV 99-000067

U.S. Commission on Fish and Fisheries. 1895. Report of the Commissioner of Fisheries, 1895.

USEPA (U.S. Environmental Protection Agency) 1983. Results of the Nationwide Urban Runoff Program, Vol. 1, Final report. NTIS PB84-185552.

USEPA (U.S. Environmental Protection Agency). 1986. Quality criteria for water 1986 (with updates). U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division, Washington, D.C.

USFWS (U. S. Fish and Wildlife Service). 1979. Klamath River fisheries investigations: progress, problems and prospects. Annual Report, Arcata, California, November 21, 1979. 49 pp

Utter, F. 1998. Genetic problems of hatchery-reared progeny released into the wild, and how to deal with them. Bull. Mar. Sci. 62:623-640.

Utter, F.M., F.W. Allendorf, and H. Hodgkins. 1973. Genetic variability and relationships in Pacific salmon and related trout based on protein variations. Syst. Zool. 22: 257-270.

Utter, F., G. Milner, G. Ståhl, and D. Teel. 1989. Genetic population structure of chinook salmon in the Pacific Northwest. Fish. Bull. U.S. 85:13-23.

Utter, F.M., D. Chapman, and A. Marshall. 1995. Genetic population structure and history of chinook salmon of the upper Columbia River. *In:* J.L. Nielsen and D.A. Powers (editors), Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society, Bethesda, MD, p. 149-165.

Valentine, B.E. 1994. Noyo River temperature study, 1993. Jackson Demonstration State Forest, California Department of Forestry and Fire Protection.

Valentine, B.E. 1996. Stream temperatures on Jackson Demonstration State Forest, Mendocino County, California during summer of 1995. Jackson Demonstration State Forest, California Department of Forestry and Fire Protection.

Valentine, B. and M. Jameson. 1994. Little North Fork Noyo Fishery Study, 1992. California Department of Forestry and Fire Protection, Coast Cascade Region, P.O. Box 670, Santa Rosa, California, 95401. 49 p.

Vander Haegen, G., and D. Dotty. 1995. Homing of coho and fall Chinook salmon in Washington. Washington Dept. of Fish and Wildlife, Olympia. 68 p.

Vreeland, R.R., R.J. Wahle, and A.H. Arp. 1975. Homing behavior and contribution to Columbia River Fisheries of marked coho salmon released at two locations. Fish. Bull. U.S. 73:717-725.

Walbaum, J.J. 1792. Petri Artedi renovati, i.e., bibliotheca et philosophia ichthyologiae pars III... Grypeswaldiae. Ant. Ferdin. Roese. 723 pp.

Wahle, R.J., and R.E. Pearson. 1987. A listing of Pacific Coast spawning streams and hatcheries producing chinook and coho salmon. U.S. Dept. Commer., NOAA Tech. Memo., NMFS F/NWC-122, 37 p. + appendices.

Waples, R. 1990. Conservation genetics of Pacific salmon: III. Estimating effective population size. J. Heredity 81:277-289.

Waples, R.S. 1991a. Definition of "species" under the Endangered Species Act: Application to Pacific salmon. NOAA Technical Memorandum NMFS F/NWC-194. 29 pp.

Waples, R.S. 1991b. Genetic interactions between hatchery and wild salmonids: lessons from the Pacific Northwest. Can. J. Fish. Aquat. Sci. 48 (Suppl. 1):124-133

Waples, R.S. 1999. Dispelling some myths about hatcheries. Fisheries 24(2): 12-21.

Waples, R.S. and D.J. Teel. 1990. Conservation genetics of Pacific salmon, part 1: Temporal changes in allele frequency. Conservation Biology 4:144-156.

Waples, R.S., G.A. Winnans, F.M. Utter, and C. Mahnken. 1990. Genetic monitoring of Pacific salmon hatcheries, p. 33-37, *In:* R.S. Svrjcek (editor), Genetics in aquaculture: Proc. 16<sup>th</sup> U.S.-Japan meeting on aquaculture; October 20-21, 1987, Charleston, SC. U.S. Dep. Commer., NOAA Tech. Rep. NMFS 92.

Waples, R.S., R.G. Gustafson, L.A. Weitkamp, J.M. Myers, O.W. Johnson, P.J. Busby, J.J. Hard, G.J. Bryant, F.W. Waknitz, K. Neely, D. Teel, W.S. Grant, G.A. Winans, S. Phelps, A. Marshall, and B.M. Baker. 2001. Characterizing diversity in salmon from the Pacific Northwest. J. Fish. Biol. 59(Supplement A): 1-41.

Warren, J.W. 1991. Diseases of hatchery fish. U. S. Fish and Wildlife Service, Pacific Region, 6th Edition. 92 p.

Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-24, 258p.

Welsh, Jr., H.W., G.R. Hodgson, B.C. Harvey, and M.F. Roche. 2001. Distribution of juvenile coho salmon in relation to water temperature in tributaries of the Mattole River, Califorina. North American Journal of Fisheries Management 21:464-470.

Williams, J. G. and T. C. Bjornn. 1997. Fall chinook salmon survival and supplementation studies in the Snake River and Lower Snake River Reservoirs, 1995. Report to Bonneville Power Administration, Contract 93-AI-10891, 84 p.

Williamson, K. and D. Hillemeier. 2001a. An assessment of pinniped predation upon fall-run chinook salmon in the Klamath River Estuary, CA, 1998, Yurok Tribal Fisheries Program. 39 pp.

Williamson, K. and D. Hillemeier. 2001b. An assessment of pinniped predation upon fall-run chinook salmon in the Klamath River Estuary, CA, 1999, Yurok Tribal Fisheries Program. 43 pp.

Withler, R.E. 1988. Genetic consequences of fertilizing Chinook salmon (*Oncorhynchus tshawytscha*) eggs with pooled milt. Aquaculture 68:15-25.

Wolf, K. 1988. Fish viruses and fish viral diseases, United States Fish & Wildlife Service, Comstock Publishing Associates, Cornell University Press. 476 pp.

Wood, C. 1987. Predation of juvenile Pacific salmon by the common merganser (*Mergus merganser*) on Eastern Vancouver Island. I: Predation during the seaward migration. Canadian J. Fish. Aqua. Sci. 44:941-949.

Worsely, P. F., 1972. The commercial and sport fishery, pages 135-141, *In:* Tomales Bay Compendium of Reports. Conservation Foundation, Washington, D.C. 203p.

Wright, K.A., K.H. Sendek, R.M. Rice, and R. B. Thomas. 1990. Logging effects on streamflow: storm runoff at Caspar Creek in northwestern California. Water Resources Research 26(7):1657-1667.

Ziemer, R.R. 1981. Storm flow response to road buildling and partial cutting in small streams of northern California. Water Resources Research, 17(4):907-917.

Ziemer, R.R., J. Lewis, T.S. Lisle, and R.M. Rice. 1991. Long-term sedimentation effects of different patterns of timber harvesting. *In:* Sediment and stream water quality in a changing environment: Trends and explanations. Proceedings of the Vicean Symposium, August 1991. IAHS Publ. No. 203. Pages 143-150.

# **Personal Communication**

Alpers, Charlie, Personal communications with Gail Newton, 2000.

Ayers, Jerry, Cooperative Fish Hatchery Coordinator, CDFG, telephone conversation, October 1, 2001.

Belt, Tom. Captain, Central Coast Region, California Department of Fish and Game, electronic correspondence. A compilation of information from coastal and regional wardens within the petitioned area. December 7, 2001.

Cannata, Steve. Environmental Scientist, California Department of Fish and Game, personal communication. December 2001.

Chesney, Bill. Associate Fishery Biologist, California Department of Fish and Game, personal communication, November, 2001.

Christie, Richard. Coordinator, Shasta River Coordinated Resources Management Planning Committee, electronic correspondence. A list of projects with funding amounts, February 28, 2002.

Cox, Bill. CDFG Associate Biologist, Central Coast Region, electronic communication, January 29, 2001.

Cox, William. Senior Fish Pathologist, Fish Health Laboratory, California Department of Fish and Game, personal communication, Sept. 10, 2001.

Cox, William. Senior Fish Pathologist, Fish Health Laboratory, California Department of Fish and Game, electronic correspondence, November 14, 2001.

Grass, Alan. California Department of Fish and Game, telephone conversation, December 7, 2001.

Hedgecock, D. 2001. Unpublished progress report memo to Department of Fish and Game and personal communication.

Hillemeier, Dave. Fisheries Program Manager, Yurok tribe, electronic correspondence, November 9, 2001.

Maria, Dennis. Associate Fishery Biologist, California Department of Fish and Game, personal communicaton, December 6, 2001.

Overton, Pat. Senior Fish Hatchery Supervisor, California Department of Fish and Game, telephone conversation December 7, 2001.

Pisano, Mark. Associate Fishery Biologist, California Department of Fish and Game, personal communication, November, 2001, and February 2002

Setka, Jose. Fisheries Biologist II, East Bay Municipal Utility District, Fisheries & Wildlife Division, electronic correspondence on September 27, 2001 and March 11, 2002.

Sinnen, Wade. CDFG Associate Biologist, Trinity River Project, electronic correspondence, November 29, 2001.

Spence, Brian (PhD). Southwest Fisheries Science Center, National Marine Fisheries Service, Santa Cruz, electronic correspondence with attached spread sheet on salmonid research and monitoring activities, November 26, 2001.

Stacey, Gary. Environmental Program Manager, Northern California - North Coast Region, California Department of Fish and Game, electronic correspondence, November 26, 2001

Streig, David. Fish Hatchery Manager, Big Creek Hatchery, Monterey Bay Salmon and Trout Project. Telephone conversation, October 11, 2001.

Will, Bob. Hatchery Manager, Rowdy Creek Hatchery, personal communication NCNCR staff, cited in draft comments.

Willis, Mel. Fish Pathologist, California Department of Fish and Game, electronic correspondence with Gary Stacey, March 27, 2001.

Wilson, Brett. Hatchery Manager, Warm Springs Hatchery, California Department of Fish and Game, electronic correspondence, February 20, 2001.

